

## Scalix - Feature #60027

### Switch off sockets reusing to lower CLOSE\_WAIT sockets count

10/22/2015 07:38 AM - Alexey Bobyr

<b>Status:</b>	Resolved	<b>Start date:</b>	10/22/2015
<b>Priority:</b>	Normal	<b>Due date:</b>	10/22/2015
<b>Assignee:</b>	Alexey Bobyr	<b>% Done:</b>	100%
<b>Category:</b>	Scalix Tomcat	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	Scalix 12.6		
<b>Operation System:</b>	--		

#### Description

from [\[\[http://httpd.apache.org/docs/2.2/mod/mod\\_proxy.html\]\]](http://httpd.apache.org/docs/2.2/mod/mod_proxy.html)

`disablereuse Off` This parameter should be used when you want to force `mod_proxy` to immediately close a connection to the backend after being used, and thus, disable its persistent connection and pool for that backend. This helps in various situations where a firewall between Apache and the backend server (regardless of protocol) tends to silently drop connections or when backends themselves may be under round-robin DNS. To disable connection pooling reuse, set this property value to `On`.

#### History

##### #1 - 08/05/2016 09:35 AM - Alex I

- Subject changed from *add option `disablereuse=On` for all `ajp` to force `httpd` close connections to `tomcat` and create new (leads to less `CLOSE_WAIT` connections) to `Switch off sockets reusing to lower CLOSE_WAIT sockets count`*

- Operation System set to --